

# Inferno III P10 SET UP SHEET

ver.1.03



Name of Driver		Date		Track		Engine		Plug		Muffler	
Renaud Savoya		06/03/22		MACCR Charmes		Picco P3TT		P5TH		EFRA 2166	
Condition: Oiled				Temperature: 13°C							
Spur Gear	Clutch Bell	Clutch Spring		Clutch Shoe	Tire	Tire Insert	Wheel	Body	Fuel		
45 T	<input type="checkbox"/> Std. <input checked="" type="checkbox"/> LW 13 T	<input type="checkbox"/> 0.90 <input type="checkbox"/> 1.00 <input checked="" type="checkbox"/> 0.95 <input type="checkbox"/> 1.10	Carbon <input checked="" type="checkbox"/> Aluminum <input checked="" type="checkbox"/> 3	IFW136	Tire Chainlinks Compounds: Clay	AKA	AKA	TKI2	Hot Road GT		

## ● Diff. Gear Set-Up

	Front	Center	Rear
Diff. Gear	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD	<input checked="" type="checkbox"/> 10/20 <input type="checkbox"/> 12/18 <input type="checkbox"/> LSD
Ring Gear	<input checked="" type="checkbox"/> 43/13 <input type="checkbox"/> 42/12	Diff. Size <input checked="" type="checkbox"/> Small <input type="checkbox"/> Large	<input checked="" type="checkbox"/> 43/13 <input type="checkbox"/> 42/12
	# 20k	# 10k	# 5k

## ● Shock Set-Up

	Front	Rear
Shock Type	P: w/Diaphragm A: Aeration	Size type
Shock Piston	B: Black W: White T: Taper	Size type
Shock Oil	# 450	# 600
Shock Spring	Red 70mm	Red 81mm

## ● Ride Height

Front	Rear
23 mm	2 mm
	8

## ● Rebound

Front	Rear
107 mm	124 mm

## ● Camber Angle

Front	Rear
+ 2 °	+ 3 °

## ● Toe Angle

Front	Rear
+ 2 °	<input checked="" type="checkbox"/> 2.5° <input type="checkbox"/> 3° <input type="checkbox"/> 3.5°

## ● Wheelbase

Collar of Rear Hub	Front Side 5 mm	Rear Side 0 mm
--------------------	-----------------	----------------

## ● Shock Mount Position

<Front>

<Rear>

Sus. Arm

Front	<input type="checkbox"/> In <input type="checkbox"/> Out
Rear	<input type="checkbox"/> In <input checked="" type="checkbox"/> Out

## Shock Stay

Front	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Long
	<input type="checkbox"/> Alu <input checked="" type="checkbox"/> Carbon
Rear	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Long
	<input type="checkbox"/> Alu <input checked="" type="checkbox"/> Carbon

## Shock Bush

Front	<input checked="" type="checkbox"/> Short <input type="checkbox"/> Std.
Rear	<input type="checkbox"/> Short <input checked="" type="checkbox"/> Std. <input type="checkbox"/> Long

## ● Rear Upper Arm Position

Plastic  
 Aluminum

Hub Carrier Bush

<input checked="" type="checkbox"/> Plastic	<input type="checkbox"/> Brass
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

## ● Rear Wheel Hub

<input type="checkbox"/> Narrow <input type="checkbox"/> Std. <input checked="" type="checkbox"/> Wide
--


## ● Front Sus. Arm

<input type="checkbox"/> SS <input checked="" type="checkbox"/> Soft (Std.) <input type="checkbox"/> Hard
---

## ● Front Sus. Bush

Rear Side	<input type="checkbox"/> <input checked="" type="checkbox"/>
-----------	--

## ● Front Upper Arm Position




## ● Front Wheel Hub

<input type="checkbox"/> Narrow <input checked="" type="checkbox"/> Std. <input type="checkbox"/> Wide
--

## ● Front Hub Carrier

<input type="checkbox"/> Plastic <input checked="" type="checkbox"/> Aluminum
<input type="checkbox"/> 13° <input checked="" type="checkbox"/> 16° <input type="checkbox"/> 17.5° <input type="checkbox"/> 19° <input type="checkbox"/> 22°



## ● Rear Sus. Bush

Front Side	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Rear Side	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>


## ● Rear Sus. Arm

<input type="checkbox"/> Soft (Std.) <input checked="" type="checkbox"/> Hard
Rear Sus. Bush
<input type="checkbox"/> Short <input type="checkbox"/> Medium <input checked="" type="checkbox"/> Long

## ● Servo Horn

Steering	Throttle
<input type="checkbox"/> Plastic	<input type="checkbox"/> Plastic
<input type="checkbox"/> AL. Long	<input checked="" type="checkbox"/> AL.
<input checked="" type="checkbox"/> AL. Short	

## ● Steering Plate



## ● Sway Bar

Front	Rear
φ 2,4mm	φ 2,9mm
1 mm	2 mm

## ● Weight

Front	Rear
<input type="checkbox"/> None	<input type="checkbox"/> None
<input type="checkbox"/> IFW604-10	<input type="checkbox"/> IFW605-10
<input checked="" type="checkbox"/> IFW604-20	<input checked="" type="checkbox"/> IFW605-20
<input type="checkbox"/> other	<input type="checkbox"/> other

## ● Wing

<input checked="" type="checkbox"/> IF491(TK14)	Flap <input checked="" type="checkbox"/> None
	<input type="checkbox"/> 5mm
	<input type="checkbox"/> 8mm
	<input checked="" type="checkbox"/> Holes

memo:

### OPTIONS:

- titanium screws and turnbuckles
- IFW426 aluminium AMB Plate
- IFW436 16 degrees caster blocks
- IFW631 and IFW632 shock towers
- IFW626 carbon servo saver plate
- IF403B and IFW634-45S small center diff